PowerSpin™ PX Centrifuge

Model: C827H

- POWERSPIN™ PORTA-SPIN™ CENTRIFUGE
- VARIABLE SPEED 500-3800 RPM
- 6 PLACE ROTOR FIXED ANGLE
- 30 MIN. MECHANICAL TIMER
- 6X10ML CAPACITY WITH 18 PLACE TUBE HOLDSTER™ RACK
- POWER INPUT 15VDC

The PortaSpin™ PX allows you to take your practice on the road. Whether you are a mobile vet, visiting nurse or doctor, we have a PortaSpin that will meet your needs. Available with 6 or 8 place rotors and adapters to fit tubes ranging from 2 – 15 ml.

Standard with 12 Volt car lighter adapter, a 110V electrical outlet adapter is optional for use back at the lab. When using this unit you will most likely not be in your lab setting so you will not have you standard bench-top tube rack. We strongly recommend purchasing the optional Tube Holdster, attaches easily to the side of the centrifuge and will hold up to 18 tubes or adapters

ADDITIONAL INFORMATION

ACCESSORIES

Accessories	
C800-00	8 Place Rotor
C800-01	8 Place Rotor
C800-75	Tachometer, Laser Digital with Reflective Tape, Batteries, In A Storage Case
C800-02	Regular tube shield, pack of 2
C800-03	Adapter for short tubes, pack of 10
C800-04	Pediatric or microtube adapter, pack of 2
C800-05	Tube Lift Adapters, Pk/12
C800-12	Balance Tube Holdster
C826-06	Porta-Spin 12 VDC Adapter, Plugs in to Car Charger, Replacement
C826-12	Porta-Spin Ac Adapter, 110 Volt, USA Power Cord

SPECIFICATION

Number of Tubes	6
Tube Capacity	2-15 ml
Blood	Yes
Specimens Fecal	Not recomended
Urine	Not recomended
Microhematocrit	Not recomended
Speed	Fixed
Rotor	Fixed Angle
Maximum RPM	3400
Maximum RCF(g)	1320

SIZE AND WEIGHT

Size	10.2 in x 11.8 in x 7.9 in
Shipping Size	13.4 in x 14.8 in x 10.6 in
Weight	18 lbs
Shipping Weight	19 lbs